]

SEQUENCE LISTINGS

<110>	Hanmi Pharm. Co., Ltd.	
<120>	EXPRESSION VECTOR FOR SECRETING ANTIBODY FRAGMENT USING E. COLI SEQUENCE AND METHOD FOR MASS-PRODUCING ANTIBODY FRAGMENT	SIGNAL
<130>	PCA40739/HMY	
<150> <151>	KR1020030072216 2003-10-16	
<160>	36	
<170>	Kopatentin 1.71	
<210> <211> <212> <213>	1 75 DNA Artificial Sequence	
<220> <223>	gene fragment of light chain variable region	,
<400>	1	
ggaagcti	to gatoggacat ocagatgaco cagtotocat cotocotgto tgcatotgta	60
gggacaga	ag tcacc .	75
:210> :211> :212> :213>	2 80 DNA Artificial Sequence	
:220> :223>	gene fragment of light chain variable region	
	2 c tgataccagg ctaagtaatt totgatgccc tgacttgccc gacaagtgat	60

ggtgactctg tcccctacag				
<210> <211> <212> <213>	3 80 DNA Artificial Sequence			
<220> <223>	gene fragment of light chain variable region			
<400> cctggtat	3 ca gcaaaaacca gggaaagccc ctaagctcct gatctatgct gcatccactt	60		
tgcaatca	gg ggtcccatct	80		
<210> <211> <212> <213> <220> <223>	4 80 DNA Artificial Sequence gene fragment of light chain variable region			
<400>	4 gg ctgctgatgg tgagagtgaa atctgtccca gatccactgc cactgaaccg	60		
agatggga	cc cctgattgca	80		
<210> <211> <212> <213>	5 80 DNA Artificial Sequence			
<220> <223>	gene fragment of light chain variable region			

<400>	5					
	cag cctacagcct gaagatgttg caacttatta ctgtcaaagg tataaccgtg	60				
caccgta	tac ttttggccag	80				
<210>	6					
<211>	41					
<212>	DNA					
<213>	Artificial Sequence					
<220>						
<223>	gene fragment of light chain variable region					
<400>	6					
tttgattt	cc accttggtcc cctggccaaa agtatacggt g	41				
<210>	7					
<211>	75					
<212>	DNA					
<213>	Artificial Sequence					
<000\s						
<220> <223>	gape fragment of heavy chair variable region					
\	gene fragment of heavy chain variable region					
<400>	7					
gggaagct	tc gatcggaggt gcagctggtg gagtctgggg gaggcttggt acagcccggc	60				
aggtccct	ga gactc	75				
		15				
	•					
<210>	8					
<211>	79					
<212>	DNA					
<213>	Artificial Sequence					
<220>						
(223>	gene fragment of heavy chain variable region					
	- · · · · · · · · · · · · · · · · · · ·					

<400>	8	
	cgg acccagtgca tggcataatc atcaaaggtg aatccagagg ccgcacagga	60
gagtetea	agg gacctgccg	79
<210>	9	
<211>	80	
<212>	DNA	
<213>	Artificial Sequence	
<220>		
<223>	gene fragment of heavy chain variable region	
<400>	9 .	
tgcactgg	gt ccggcaaget ccagggaagg gcctggaatg ggtctcaget atcacttgga	60
atagtggt	ca catagactat	80
<210>	10	
<211>	80	
<212>	DNA	
<213>	Artificial Sequence	
<220>		
<223>	gene fragment of heavy chain variable region	
<400>	10	
atacaggg	ag ttcttggcgt tgtctctgga gatggtgaat cggccctcca cagagtccgc	60
atagtota	tg tgaccactat	80
<210>	11	
<211>	80	
<212>	DNA	
<213>	Artificial Sequence	
<220>		
<223>	gene fragment of heavy chain variable region	

<400>	11	
acgccaa	gaa ctccctgtat ctgcaaatga acagtctgag agctgaggat acggccgtat	60
attactg	tgc gaaagtctcg	80
<0.10>	10	
<210>	12	
<211> <212>	84 DNA	
<213>	Artificial Sequence	
\Z 10>	Artificial Sequence	
<220>		
<223>,	gene fragment of heavy chain variable region	
1400		
<400>	12	
cactcgag	gac ggtgaccagg gtaccttggc cccaatagtc aagggaggac gcggtgctaa	60
gatacgae	pac tttcgcacag taat	84
333	, as thousand that	04
<210>	13	
<211>	39	
<212>	DNA	
<213> ·	Artificial Sequence	
<220>		
<220>	RT-PCR forward primer enecific for because their	
~~~~	RT-PCR forward primer specific for heavy chain	
<400>	13	
ccaagct	ta ggcctccacc aagggcccat cggtcttcc	39
<0.105	14	
<210> <211>	14 48	
<211>	DNA	
<212>	Artificial Sequence	
-2 10-	· · · · · · · · · · · · · · · · · · ·	
<220>		
(223>	RT-PCR reverse primer specific for heavy chain	

<400> 14		
gggggatcct t	atgggcacg gtgggcatgt gtgagttttg tcacaaga	48
<210> 15		
<211> 42		
<212> ONA		
	ificial Sequence	
1210	Titotal ocquonoc	
<220>		
<223> RT-I	PCR forward primer specific for light chain	
<400> 15		
cccaagettt c	gcgaactgt ggctgcacca tctgtcttca tc	42
<210> 16		
<211> 42		
<212> DNA		
	ificial Sequence	
ZIO AIT	Trivial dequence	
<220>		
	PCR reverse primer specific for light chain	
<400> 16		
cccggatccc ta	aacactctc ccctgttgaa gctctttgtg ac	42
<210> 17		
<211> 69		
<212> DNA		
	ified E. coli thermostable enterotoxin II signal sequence	
-LIOP MOUT	Trica E. Soft the mostable enterotoxin it Signal Sequence	
<400> 17		
atgaaaaaaga ca	aatcgcatt tottottgca totatgttcg ttttttctat tgctacaaat	60
gcccaggcg		69

```
<210>
         18
<211>
         45
<212>
         DNA
<213>
         Artificial Sequence
<220>
<223>
         forward primer containing Stul restriction enzyme site
<400>
         18
tctattgcta caaatgccca ggccttccca accattccct tatcc
                                                                            45
<210>
         19
<211>
         45
<212>
         DNA
<213>
         Artificial Sequence
<220>
<223>
         reverse primer containing Stul restriction enzyme site
<400>
         19
agataacgat gtttacgggt ccggaagggt tggtaaggga atagg
                                                                            45
<210>
         20
<211>
         51
<212>
         DNA
<213>
         Artificial Sequence
<220>
<223>
         reverse primer specific for light chain
<400>
         20
gggggatcct cacgcggcgc atgtgtgagt tttgtcacaa gatttaggct c
                                                                            51
<210>
         21
<211>
         43
<212>
         DNA
<213>
         Artificial Sequence
```

<220> <223>	forward primer containing SD sequence and BamHI restriction enzy	me site
<400> gggggatc	21 ca ggaggtgatt tatgaaaaag acaatcgcat ttc	43
<210> <211> <212> <213>	22 44 DNA Artificial Sequence	
<220> <223>	forward primer containing Bpul restriction enzyme site	
<400> ggggctga	22 gc aggaggtgat ttatgaaaaa gacaatcgca tttc	44
<210> <211> <212> <213>	23 52 DNA Artificial Sequence	
<220> <223>	reverse primer containing Bpul restriction enzyme site	
<400> ggggctca	23 gc tcacgcggcg catgtgtgag ttttgtcaca agatttaggc tc	52
<210> <211> <212> <213>	24 63 DNA E. coli OmpA signal sequence	
<400>	24 ga cagctatege gattgeagtg geactggetg gtttegetae egttgegeaa	60

WO 2005/038031 PCT/KR2004/002625

9

63 gct 25 <210> <211> 30 <212> DNA <213> Artificial Sequence <220> <223> forward primer specific for heavy chain <400> 25 30 gaggttcagc tagtcgagtc aggaggcggt <210> 26 <211> 51 <212> DNA <213> Artificial Sequence <220> <223> forward primer containing HindIII and Stul restriction enzyme sites <400> 26 51 gggagatett caegeggege atgtgtgagt tttgtcacaa gatttagget e <210> 27 <211> 30 <212> DNA <213> Artificial Sequence <220> <223> reverse primer containing stop codon and BamHI restriction enzyme site <400> 27 gacattcaaa tgacccagag cccatccagc 30 <210> 28

42 <211> <212> DNA Artificial Sequence <213> <220> forward primer containing HindIII and Nrul restriction enzyme sites <223> <400> 28 42 cccagatete taacactete ecctgttgaa getetttgtg ac <210> 29 <211> 41 <212> DNA Artificial Sequence <213> <220> . reverse primer containing stop codon and BamHI restriction enzyme site <223> <400> 29 41 ggggtcgaca ggaggtgatt tatgaaaaag acagctatcg c <210> 30 <211> 51 <212> DNA Artificial Sequence <213> <220> reverse primer containing Sall restriction enzyme site <223> <400> 30 ggggtcgact cacgcggcgc atgtgtgagt tttgtcacaa gatttaggct c 51 <210> 31 42 <211> <212> DNA Artificial Sequence <213>

<220> <223>				ied E. coli riction enzy	enterotoxin /me site	II signal
<400> gggcatate	31 ga aaaagacaa	t cgcatttct	t cttgcatcta	a tg		42
<210> <211>	32 .					
<2112>	705 DNA					
	Artificial S	Coguence				
~210>	Altilicial S	sequence				
<220>						
<223>	TNF-alpha he	avv chain				
		,				
<400>	32					
gaggttcag	c tagtcgagtc	aggaggcggt	ttggtacago	ccggcaggtc	cctgagactc	60
tootatasa						
tcctgtgcg	g cctctggatt	cacctttgat	gattatgcca	tgcactgggt	ccggcaagct	120
ccagggaag	g gcctggaatg	anteteanet	atcacttgga	ataataataa	antagostat	100
oouggguug	g goolggaalg	ggroroagor	attacttgga	ataytyytta	Catagactat	180
gcggactct	g tggagggccg	attcaccatc	tccagagaca	acgccaagaa	ctccctatat	240
						2.10
ctgcaaatg	a acagtctgag	agctgaggat	acggccgtat	attactgtgc	gaaagtctcg	300
tooottooo		14				
laccitage	a cogcgtcctc	ccitgactat	tggggccaag	gtaccctggt	caccgtctcg	360
agtgcctcc	a ccaagggccc	atcoatcttc	cccctageae	cctcctccaa	nancacetet	420
	200		occorggodo	3310010044	gagoacotot	420
gggggcacag	g cggccctggg	ctgcctggtc	aaggactact	tccccgaacc	ggtgacggtg	480
tcgtggaact	caggcgccct	gaccagcggc	gtgcacacct	tcccggctgt	cctacagtcc	540
teaggaetei	antonatana	socostasta				
t vayyat (t)	actccctcag	caycytyytg	accytgccct	ccagcagctt	gggcacccag	600
acctacatet	gcaacgtgaa	tcacaageee	aggaagagga	anntonacee	naaant toor	660
	J			~99 t 99aoaa	gaaagt tgag	000
cccaaatctt	ataacaaaac	teacacatee	ceaccatace	catan		705

<210>

12

Si .

<211> <212> <213>	645 DNA Artificial S	equence				
<220> <223>	TNF-alpha li	ght chain				
<400>	33 ga tgacccagtc	tanatantan	at at at acat	ot at aggaga	oagagtoaga	60
yacatcoat	ja igacccagic	localocioc	Cigiotycat	Cigiaggga	Cagagicacc	00
atcacttgt	c gggcaagtca	gggcatcaga	aattacttag	cctggtatca	gcaaaaacca	120
gggaaagco	c ctaagctcct	gatctatgct-	gcatccactt	tgcaatcagg	ggtcccatct	180
cggttcagt	g gcagtggatc	tgggacagat	ttcactctca	ccatcagcag	cctacagcct	240
gaagatgtt	g caacttatta	ctgtcaaagg	tataaccgtg	caccgtatac	ttttggccag	300
gggaccaag	g tggaaatcaa	acgaactgtg	gctgcaccat	ctgtcttcat	cttcccgcca	360
tctgatgag	gc agttgaaatc	tggaactgcc	tctgttgtgt	gcctgctgaa	taacttctat	420
cccagagag	g ccaaagtaca	gtggaaggtg	gataacgccc	tccaatcggg	taactcccag	480
gagagtgt	a cagagcagga	cagcaaggac	agcacctaca	gcctcagcag	caccctgacg	540
ctgagcaaa	ig cagactacga	gaaacacaaa	gtctacgcct	gcgaagtcac	ccatcagggc	600
ctgagctcg	c ccgtcacaaa	gagcttcaac	aggggagagt	gttag		645

<210> 34 <211> 7 <212> PRT <213> TNF-alpha light chain <400> 34 Asp | le Gln Met Thr Gln Ser 1 5

```
<210>
         35
<211>
         8
<212>
         PRT
<213>
         TNF-alpha heavy chain
<400>
         35
Glu Val Gln Leu Glu Val Asp Ser
  1
                  5
<210>
         36
<211>
         12
<212>
         PRT
<213>
         N-terminal sequence of recombinant TNF-alpha
<400>
         36
Asp Glu lle Val Gin Met Leu Thr Val Gin Asp Ser
                  5
                                      10
```